




GENERAL CATALOG


**2016**



|                 | CODE    | FRAME                                     | FORK                      | GEAR             | DERAILLEUR              | CONTROLS                | CRANKSET                        | CASSETTE                            |
|-----------------|---------|-------------------------------------------|---------------------------|------------------|-------------------------|-------------------------|---------------------------------|-------------------------------------|
| GEPIN           |         |                                           |                           |                  |                         |                         |                                 |                                     |
| ULTEGRA Di2 11V | BR60100 | Road Carbon Monocoque "Gepin"             | Carbon Monocoque "Gepin"  | RD Ultegra 6870  | FD Ultegra 6870         | SL Ultegra 6870         | Rotor 3D30 50-34 o 53-39        | CS Ultegra 6800 11-28               |
| RED 11V         | BR60200 | Road Carbon Monocoque "Gepin"             | Carbon Monocoque "Gepin"  | FD Red Road IIS  | RD Red Braze-On IIS     | SL Red blk IIS          | Rotor 3D30 50-34 o 53-39        | Sram CS PG 1170 11-28               |
| DURA ACE 11V    | BR60300 | Road Carbon Monocoque "Gepin"             | Carbon Monocoque "Gepin"  | Dura Ace RD 9000 | FD Dura Ace 9000        | SL Dura Ace 9000        | Rotor 3D30 50-34 o 53-39        | CS Ultegra 6800 11-28               |
| ULTEGRA 11V     | BR60400 | Road Carbon Monocoque "Gepin"             | Carbon Monocoque "Gepin"  | RD Ultegra 6800  | FD Ultegra 6800         | SL Ultegra 6800         | Rotor 3D30 50-34 o 53-39        | CS Ultegra 6800 11-28               |
| BEIGUA          |         |                                           |                           |                  |                         |                         |                                 |                                     |
| GX1 1x11V       | BM60200 | MTB Front 27,5" Carbon Monocoque "Beigua" | RockShox REBA RL one lock | Sram RD GX1      | -                       | Sram Grip Shift GX1 11V | Sram FC S1000 24mm blk XSYNC 32 | Sram CS XG-1150 Cassette 11SP 10-42 |
| SLX 2x10V       | BM60101 | MTB Front 27,5" Carbon Monocoque "Beigua" | RockShox REBA RL one lock | Shimano RD SLX   | Sram X7 S3 direct mount | Shimano Deore 10V       | Shimano 2x10 38-24              | Shimano HG50                        |
| SLX AVANT 2x10V | BM60100 | MTB Front 27,5" Carbon Monocoque "Beigua" | RockShox 30 GOLD          | Shimano RD SLX   | Sram X7 S3 direct mount | Shimano Deore 10V       | Shimano 2x10 38-24              | Shimano HG50                        |
| BIGNONE         |         |                                           |                           |                  |                         |                         |                                 |                                     |
| GX1/RS1 1X11V   | BM60400 | MTB Front 29" Carbon Monocoque "Bignone"  | RockShox RSI              | Sram RD GX1      | -                       | Sram Grip Shift GX1 11V | Sram FC S1000 24mm blk XSYNC 32 | Sram CS XG-1150 Cassette 11SP 10-42 |
| XO1 1X11V       | BM60500 | MTB Front 29" Carbon Monocoque "Bignone"  | RockShox SID RL one lock  | Sram RD XO1      | -                       | Sram Grip Shift XO1 11V | Sram FC S1000 24mm blk XSYNC 32 | Sram CS XG-1150 Cassette 11SP 10-42 |
| XT 2X11V        | BM60600 | MTB Front 29" Carbon Monocoque "Bignone"  | RockShox SID RL one lock  | Shimano RD XT    | Shimano FD XT           | Shimano XT 11V          | Shimano FC MT700-2 - IIS 36-26  | Shimano XT                          |
| GX1 1X11V       | BM60800 | MTB Front 29" Carbon Monocoque "Bignone"  | RockShox REBA RL one lock | Sram RD GX1      | -                       | Sram Grip Shift GX1 11V | Sram FC S1000 24mm blk XSYNC 32 | Sram CS XG-1150 Cassette 11SP 10-42 |
| SLX 2X10V       | BM60700 | MTB Front 29" Carbon Monocoque "Bignone"  | RockShox REBA RL one lock | Shimano RD SLX   | Shimano FD Deore        | Shimano Deore 10V       | Shimano 2x10 38-24              | Shimano HG50                        |

| BRAKES          | HANDLEBAR & STEM                       | WHEELS                       | TYRES                            | SADDLE                   | SEATPOST           | PEDALS | OPTIONAL                                                                                        |
|-----------------|----------------------------------------|------------------------------|----------------------------------|--------------------------|--------------------|--------|-------------------------------------------------------------------------------------------------|
|                 |                                        |                              |                                  |                          |                    |        |                                                                                                 |
| TRP R870        | Ritchey Logic II comp WCS 4 Axis       | Fulcrum Racing 3             | Michelin Lithion                 | Fizik Antares R7 blk/blk | Ritchey 1B WCS     | -      | Wheels Fulcrum Racing Zero<br>Wheels Zipp 30 course<br>Wheels FFWD 4R blk<br>Wheels FFWD 6R blk |
| TRP R870        | Ritchey Logic II comp WCS 4 Axis       | Fulcrum Racing 3             | Michelin Lithion                 | Fizik Antares R7 blk/blk | Ritchey 1B WCS     | -      | Wheels Fulcrum Racing Zero<br>Wheels Zipp 30 course<br>Wheels FFWD 4R blk<br>Wheels FFWD 6R blk |
| TRP R870        | Ritchey Logic II comp WCS 4 Axis       | Fulcrum Racing 3             | Michelin Lithion                 | Fizik Antares R7 blk/blk | Ritchey 1B WCS     | -      | Wheels Fulcrum Racing Zero<br>Wheels Zipp 30 course<br>Wheels FFWD 4R blk<br>Wheels FFWD 6R blk |
| TRP R870        | Ritchey Logic II comp WCS 4 Axis       | Fulcrum Racing 3             | Michelin Lithion                 | Fizik Antares R7 blk/blk | Ritchey 1B WCS     | -      | Wheels Fulcrum Racing Zero<br>Wheels Zipp 30 course<br>Wheels FFWD 4R blk<br>Wheels FFWD 6R blk |
|                 |                                        |                              |                                  |                          |                    |        |                                                                                                 |
| Shimano BRM 396 | Ritchey HB 2X comp Ritchey comp 4-Axis | Fulcrum Red Power XD 27,5"   | WTB 27,5"                        | Selle Royal Seta S1      | SPI Avant 31,6x400 | -      | -                                                                                               |
| Shimano BRM 396 | Ritchey HB 2X comp Ritchey comp 4-Axis | Fulcrum Red Power 27,5"      | WTB 27,5"                        | Selle Royal Seta S1      | SPI Avant 31,6x400 | -      | -                                                                                               |
| Shimano BRM 396 | Ritchey HB 2X comp Ritchey comp 4-Axis | Avant XC 27,5"               | WTB 27,5"                        | Selle Royal Seta S1      | SPI Avant 31,6x400 | -      | -                                                                                               |
|                 |                                        |                              |                                  |                          |                    |        |                                                                                                 |
| Sram DB5        | Ritchey comp 4-Axis Avant 4B           | Avant Pro 29" tubeless ready | WTB Ninline 2.0 29" TCS tubeless | Fizik Tundra 2 M7        | SPI Avant 31,6x400 | -      | -                                                                                               |
| Sram DB5        | Ritchey comp 4-Axis Avant 4B           | Fulcrum Red Power XD 29"     | WTB Ninline 2.0 29"              | Fizik Tundra M7          | SPI Avant 31,6x400 | -      | FRM Meteor XD 29"                                                                               |
| Shimano 615     | Ritchey comp 4-Axis Avant 4B           | Fulcrum Red Power 29"        | WTB Ninline 2.0 29"              | Fizik Tundra M7          | SPI Avant 31,6x400 | -      | FRM Meteor 29"                                                                                  |
| Shimano BRM 396 | Ritchey comp 4-Axis Avant 4B           | Fulcrum Red Power XD 29"     | WTB Ninline 2.0 29"              | Selle Royal Seta S1      | SPI Avant 31,6x400 | -      | FRM Meteor XD 29"                                                                               |
| Shimano BRM 396 | Ritchey comp 4-Axis Avant 4B           | Fulcrum Red Power 29"        | WTB Ninline 2.0 29"              | Selle Royal Seta S1      | SPI Avant 31,6x400 | -      | FRM Meteor 29"                                                                                  |

|         | SIZE | HR  | LT  | a°    | b°    | S   | REACH | STACK |
|---------|------|-----|-----|-------|-------|-----|-------|-------|
| GEPIN   | 480  | 480 | 525 | 73°   | 74°   | 125 | 373   | 530   |
|         | 510  | 510 | 537 | 72,5° | 74°   | 138 | 382   | 540   |
|         | 540  | 540 | 550 | 73°   | 73,5° | 155 | 385   | 558   |
|         | 570  | 570 | 567 | 73°   | 73°   | 180 | 390   | 580   |
|         | 600  | 600 | 580 | 73°   | 72,5° | 192 | 404   | 590   |
| BEIGUA  | 380  | 380 | 567 | 70,3° | 73,5° | 86  | 395   | 580   |
|         | 430  | 430 | 587 | 71°   | 73°   | 106 | 406   | 590   |
|         | 480  | 480 | 603 | 71°   | 73°   | 114 | 420   | 597,5 |
| BIGNONE | 430  | 425 | 585 | 70,5° | 73,4° | 100 | 405   | 605   |
|         | 480  | 475 | 605 | 71°   | 73°   | 105 | 418   | 612   |
|         | 530  | 525 | 630 | 71°   | 73°   | 110 | 441,5 | 616,5 |




| LEGEND |                                               |
|--------|-----------------------------------------------|
| HR     | HEIGHT OF SADDLE TUBE (CENTER/END)            |
| LT     | LENGHT OF THE HORIZONTAL TUBE (CENTER/CENTER) |
| a°     | HEAD TUBE ANGLE                               |
| b°     | ANGLE OF THE SADDLE TUBE                      |
| S      | LENGHT OF THE STEERING TUBE                   |

MATERIALS

**GEPIN / BEIGUA / BIGNONE**  
HMX Carbon frames  
Their constructions are designed for maximum performances, using the triple monocoque technique with EPSS and high strength “Epoxy Matrix Nanotech” resins. The carbon used in theese products is the highly rated TeXtreme by Oxeon, with whom we were able to collaborate in the development of the frame with this very sophisticated material, which is now being used successfully by the best teams in Formula 1, giving the Trofeo range very high performance, strength and extreme lightness all at the same time.

The use of HMX carbon made it possible to obtain a frame weighing 1030 g for the Gepin, guaranteeing the best balance between performance, lightness and price.  
GEPIN is a top-of-the-line bicycle, ideal for knowing what your limits are in any situation, and at the same time it is easy to handle, stable and offers pleasurable sensations at all times. Its geometries are masterful and was specifically designed for every need, and thanks to its great adaptability to different types physiques it offers the greatest guarantee of satisfaction and comfort.





VELOCI


|                 | CODE    | FRAME                           | FORK                              | GEAR              | DERAILLEUR        | CONTROLS          | CRANKSET               | CASSETTE                 |
|-----------------|---------|---------------------------------|-----------------------------------|-------------------|-------------------|-------------------|------------------------|--------------------------|
| ZEROUNO         |         |                                 |                                   |                   |                   |                   |                        |                          |
| ULTEGRA 11V     | BR61100 | Road Carbon Monocoque "Zerouno" | Carbon Monocoque "Zerouno"        | RD Ultegra 6800   | FD Ultegra 6800   | ST Ultegra 6800   | FC Ultegra 6800        | Ultegra 6800 12-28 11-28 |
| ULTEGRA MIX 11V | BR61200 | Road Carbon Monocoque "Zerouno" | Carbon Monocoque "Zerouno"        | RD Ultegra 6800   | FD Ultegra 6800   | ST Ultegra 6800   | FC RS500               | Ultegra 6800 12-28 11-28 |
| 105 11V         | BR61300 | Road Carbon Monocoque "Zerouno" | Carbon Monocoque "Zerouno"        | RD 105            | FD 105            | ST 105            | 105 BR-5800            | 105 12-28 11-28          |
| 105 MIX 11V     | BR61400 | Road Carbon Monocoque "Zerouno" | Carbon Monocoque "Zerouno"        | RD 105            | FD 105            | ST 105            | FC RS500               | 105 12-28 11-28          |
| ZEROTRE         |         |                                 |                                   |                   |                   |                   |                        |                          |
| ULTEGRA MIX 11V | BR62100 | Road Carbon Monocoque "Zerotre" | Carbon Monocoque "Zerotre"        | RD Ultegra 6800   | FD Ultegra 6800   | ST Ultegra 6800   | FC RS500 34-50         | Shimano CS-5800-11 11-28 |
| 105 MIX 11V     | BR62200 | Road Carbon Monocoque "Zerotre" | Carbon Monocoque "Zerotre"        | RD 105            | FD 105            | ST 105            | Olmo Compact 34-50     | Shimano CS-5800-11 11-28 |
| TIAGRA MIX 10V  | BR62300 | Road Carbon Monocoque "Zerotre" | Carbon Monocoque "Zerotre"        | RD Tiagra         | FD Tiagra         | ST Tiagra         | Olmo Compact 34-50     | Shimano CS-5800-10 12-28 |
| ZEROCINQUE      |         |                                 |                                   |                   |                   |                   |                        |                          |
| TIAGRA MIX 10V  | BR63100 | Road Alloy 6063 "Zerocinque"    | Alloy Monocoque 6063 "Zerocinque" | RD Tiagra         | FD Tiagra         | ST Tiagra         | Olmo Compact 34-50     | Shimano CS-5800-10 12-28 |
| XENON MIX 10V   | BR63200 | Road Alloy 6063 "Zerocinque"    | Alloy Monocoque 6063 "Zerocinque" | Campagnolo Xenon  | Campagnolo Veloce | Campagnolo Xenon  | Olmo Compact 34-50     | Miche 10V 12-28          |
| ZERONOVE        |         |                                 |                                   |                   |                   |                   |                        |                          |
| CLARIS 24V      | BR64100 | Road Alloy 6063 "Zeronove"      | Alloy Monocoque 6063 "Zeronove"   | Shimano Rd Claris | Shimano FD Claris | Shimano ST Claris | Shimano M-171 48-38-28 | Shimano 8V               |

COMPONENTS

| BRAKES          | HANDLEBAR & STEM        | WHEELS               | TYRES            | SADDLE                  | SEATPOST     | PEDALS         | OPTIONAL |
|-----------------|-------------------------|----------------------|------------------|-------------------------|--------------|----------------|----------|
|                 |                         |                      |                  |                         |              |                |          |
| Ultegra 6800    | Deda RHM Zero Deda Zero | Fulcrum Racing Sport | Vittoria Zaffiro | Selle Italia SL Flow    | Deda Zero    | -              | -        |
| Shimano BR-R561 | Olmo Alloy              | Shimano WH-R5010     | Vittoria Zaffiro | Selle Italia SL Flow    | Olmo Alloy   | -              | -        |
| Shimano 105     | Deda RHM Zero Deda Zero | Shimano WH-R5010     | Vittoria Zaffiro | Selle Italia SL Flow    | Deda RS Zero | -              | -        |
| Olmo R340       | Olmo Alloy              | Shimano WH-R5010     | Vittoria Zaffiro | Selle Italia SL Flow    | Olmo Alloy   | -              | -        |
|                 |                         |                      |                  |                         |              |                |          |
| Shimano BR-R561 | Olmo Alloy              | Fulcrum Racing Sport | Vittoria Zaffiro | Selle Italia SL Flow    | Olmo Alloy   | -              | -        |
| Olmo R340       | Olmo Alloy              | Olmo VITA            | Vittoria Zaffiro | Selle Italia XI Flow    | Olmo Alloy   | -              | -        |
| Olmo R340       | Olmo Alloy              | Olmo VITA            | Vittoria Zaffiro | Selle Italia XI Flow    | Olmo Alloy   | -              | -        |
|                 |                         |                      |                  |                         |              |                |          |
| Olmo R340       | Olmo Alloy              | Olmo VITA            | CST 700x23       | Selle Italia Q-Bik Flow | Olmo Alloy   | -              | -        |
| Olmo R340       | Olmo Alloy              | Olmo VITA            | CST 700x23       | Selle Italia Q-Bik Flow | Olmo Alloy   | -              | -        |
|                 |                         |                      |                  |                         |              |                |          |
| Olmo R315       | Olmo Alloy              | Olmo VITA            | CST 700x23       | Selle Italia Q-Bik Flow | Olmo Alloy   | Xerama SP-910S | -        |

|            | SIZE | HR  | LT  | a°     | b°     | S   | REACH | STACK |
|------------|------|-----|-----|--------|--------|-----|-------|-------|
| ZEROUNO    | 470  | 470 | 515 | 72°    | 74,5°  | 110 | 372   | 512   |
|            | 500  | 500 | 525 | 72°    | 74,5°  | 125 | 377   | 527   |
|            | 530  | 530 | 537 | 73°    | 74,5°  | 145 | 386   | 546   |
|            | 550  | 550 | 555 | 73°    | 73,5°  | 160 | 388   | 564   |
|            | 580  | 580 | 570 | 73°    | 73°    | 180 | 392   | 583   |
|            | 610  | 610 | 585 | 73,5°  | 73°    | 200 | 401   | 603   |
| ZEROTRE    | 470  | 470 | 515 | 72,25° | 75°    | 110 | 384   | 507   |
|            | 500  | 500 | 530 | 72,5°  | 74,5°  | 125 | 385   | 522   |
|            | 530  | 530 | 545 | 72,75° | 73,5°  | 140 | 386   | 536   |
|            | 560  | 560 | 565 | 73°    | 73°    | 160 | 395   | 557   |
|            | 590  | 590 | 585 | 73,5°  | 72,75° | 180 | 406   | 578   |
| ZEROCINQUE | 460  | 460 | 519 | 72°    | 74,5°  | 130 | 372   | 461   |
|            | 490  | 490 | 532 | 72°    | 74,5°  | 130 | 385   | 461   |
|            | 520  | 520 | 547 | 72,5°  | 74,3°  | 145 | 394   | 477   |
|            | 550  | 550 | 552 | 73°    | 74,3°  | 175 | 389   | 507   |
|            | 580  | 580 | 581 | 73°    | 72,8°  | 205 | 394   | 536   |
| ZERONOVE   | 460  | 460 | 519 | 72°    | 74,5°  | 130 | 372   | 461   |
|            | 490  | 490 | 532 | 72°    | 74,5°  | 130 | 385   | 461   |
|            | 520  | 520 | 547 | 72,5°  | 74,3°  | 145 | 394   | 477   |
|            | 550  | 550 | 552 | 73°    | 74,3°  | 175 | 389   | 507   |
|            | 580  | 580 | 581 | 73°    | 72,8°  | 205 | 394   | 536   |

|      | SIZE | HR  | LT  | a°    | b°  | S   | REACH | STACK |
|------|------|-----|-----|-------|-----|-----|-------|-------|
| GARA | 470  | 470 | 531 | 72°   | 74° | 95  | -     | -     |
|      | 490  | 490 | 545 | 73,5° | 74° | 106 | -     | -     |
|      | 510  | 510 | 551 | 74°   | 74° | 106 | -     | -     |
|      | 530  | 530 | 554 | 74°   | 74° | 104 | -     | -     |
|      | 550  | 550 | 559 | 74°   | 74° | 124 | -     | -     |
|      | 570  | 570 | 564 | 74°   | 74° | 144 | -     | -     |
|      | 590  | 590 | 569 | 74°   | 74° | 164 | -     | -     |



LEGEND

|    |                                               |
|----|-----------------------------------------------|
| HR | HEIGHT OF SADDLE TUBE (CENTER/END)            |
| LT | LENGHT OF THE HORIZONTAL TUBE (CENTER/CENTER) |
| a° | HEAD TUBE ANGLE                               |
| b° | ANGLE OF THE SADDLE TUBE                      |
| S  | LENGHT OF THE STEERING TUBE                   |

MATERIALS

ZEROUNO

Composition of Carbon Materials of frame design:  
(65% 24Tons Intermediate Modulus T700SC Carbon Pre-Preg + 20% 30Tons High Modulus with High Strength T800 Carbon Pre-Preg + 15% High Impact Strength &High Toughness Woven Carbon Pre-Preg)  
Material, Design and Production Process Features:  
The application of high-performance composite materials technology and special graphite fiber/epoxy, which is the same material system apply on the structures of Aeronautics, Aerospace (A380 & B787/B777) and Automobile (BMW i8).  
Advanced Bladder Moulding with PU shell process.  
Riding Performance: Comfortable, Good Controllability and Stability.  
Excellent power transfer and low fatigue is achieved and maximized the riding reliability/durability. Superior Impact absorption, the rider will feel a comfortable and good response/acceleration from the bike.

ZEROTRE

The japanese carbon fiber (Manufacturer: Toray) 24 / 30 / 36 T worked by Sky Flex (North Korea) to the specifications of the Olmo company and stratified according to the decades of experience of Olmo's racing department.  
The special compound designed with a composition which varies depending on the area of application, and reinforced in the areas of maximum stress, gives the finished frame excellent mechanical characteristics for those who want a product that is reliable and at the same time provides excellent power transfer.  
**ZEROCINQUE / ZERONOVE**  
Double thickness aluminum alloy alu 6063/OL high stiffness, tempered in neutral solution at TT4, normalized to eliminate any excessive crystalline tensions.










GRANPASSO

|                 | CODE    | FRAME                                                | FORK                                                             | GEAR       | DERAILLEUR | CONTROLS | CRANKSET                       | CASSETTE               |
|-----------------|---------|------------------------------------------------------|------------------------------------------------------------------|------------|------------|----------|--------------------------------|------------------------|
| ZERODUE         |         |                                                      |                                                                  |            |            |          |                                |                        |
| XT/Deore 2x10V  | BM61100 | MTB Full 27,5" alloy triple-buttet 7005 custom Olmo  | RockShox Sektor silver Thru-axle - Rear shock RockShox Monark RL | XT RD-M78I | FD Deore   | ST Deore | Olmo Integrated axle 10V 28-40 | Shimano HG 50-10 11-36 |
| ZEROQUATTRO     |         |                                                      |                                                                  |            |            |          |                                |                        |
| XT/Deore 2x10V  | BM62100 | MTB Front 27,5" alloy double-buttet 6063 custom Olmo | RockShox XC30                                                    | XT RD-M78I | FD Deore   | ST Deore | Olmo Integrated axle 10V 28-40 | Shimano HG 50-10 11-36 |
| SLX/Deore 2x10V | BM62200 | MTB Front 27,5" alloy double-buttet 6063 custom Olmo | RST BLAZE RL                                                     | RD SLX     | FD Deore   | ST Deore | Olmo Integrated axle 10V 28-40 | Shimano HG 50-10 11-36 |
| ZEROSEI         |         |                                                      |                                                                  |            |            |          |                                |                        |
| XT/Deore 2x10V  | BM63100 | MTB Front 29" alloy double-buttet 6063 custom Olmo   | RockShox RECON silver air Thru-axle                              | XT RD-M78I | FD Deore   | ST Deore | Olmo Integrated axle 10V 28-40 | Shimano HG 50-10 11-36 |
| SLX/Deore 2x10V | BM63200 | MTB Front 29" alloy double-buttet 6063 custom Olmo   | RST BLAZE RL                                                     | RD SLX     | FD Deore   | ST Deore | Olmo Integrated axle 10V 28-40 | Shimano HG 50-10 11-36 |

COMPONENTS

| BRAKES                          | HANDLEBAR & STEM | WHEELS                             | TYRES                  | SADDLE                  | SEATPOST   | PEDALS               | OPTIONAL |
|---------------------------------|------------------|------------------------------------|------------------------|-------------------------|------------|----------------------|----------|
|                                 |                  |                                    |                        |                         |            |                      |          |
| Shimano M-355 160/180           | Olmo Alloy       | Olmo 27,5" FORZA TXL Thru-axles    | Vittoria Saguaro       | Selle Italia Q-Bik Flow | Olmo Alloy | Shimano SGR PD-M505L | -        |
|                                 |                  |                                    |                        |                         |            |                      |          |
| Shimano M-355 160/180           | Olmo Alloy       | Olmo 27,5" FORZA                   | 27,5" x 2.10 CST 60TPI | Selle Italia Q-Bik Flow | Olmo Alloy | Xerama SP-910S Alloy | -        |
| Tektro AURIGA hydraulic 160/180 | Olmo Alloy       | Olmo 27,5" FORZA                   | 27,5" x 2.10 CST 60TPI | Selle Italia Q-Bik Flow | Olmo Alloy | Xerama SP-910S Alloy | -        |
|                                 |                  |                                    |                        |                         |            |                      |          |
| Shimano M-355 160/180           | Olmo Alloy       | Olmo 29" FORZA TXL front Thru-axle | Vittoria Saguaro       | Selle Italia Q-Bik Flow | Olmo Alloy | Shimano SGR PD-M505L | -        |
| Tektro AURIGA hydraulic 160/180 | Olmo Alloy       | Olmo 29" FORZA                     | 29" x 2.10 CST 60TPI   | Selle Italia Q-Bik Flow | Olmo Alloy | Xerama SP-910S Alloy | -        |

|             | SIZE | HR  | LT  | a°    | b°    | S   | REACH | STACK |
|-------------|------|-----|-----|-------|-------|-----|-------|-------|
| ZERODUE     | 430  | 430 | 580 | 68,5° | 73,5° | 120 | 402   | 604   |
|             | 480  | 480 | 610 | 68,5° | 73,5° | 120 | 431   | 604   |
| ZEROQUATTRO | 420  | 420 | 599 | 71°   | 74°   | 120 | 424   | 617   |
|             | 470  | 470 | 614 | 71°   | 74°   | 120 | 439   | 617   |
| ZEROSEI     | 420  | 420 | 601 | 72°   | 74°   | 110 | 424   | 619   |
|             | 470  | 470 | 622 | 72°   | 74°   | 120 | 441   | 628   |
|             | 520  | 520 | 640 | 72°   | 74°   | 145 | 453   | 652   |



LEGEND

|    |                                               |
|----|-----------------------------------------------|
| HR | HEIGHT OF SADDLE TUBE (CENTER/END)            |
| LT | LENGHT OF THE HORIZONTAL TUBE (CENTER/CENTER) |
| a° | HEAD TUBE ANGLE                               |
| b° | ANGLE OF THE SADDLE TUBE                      |
| S  | LENGHT OF THE STEERING TUBE                   |

MATERIALS

**ZERODUE**  
Triple thickness aluminum alloy Alu 7005.

**ZEROQUATTRO / ZEROSEI**  
Double thickness aluminum alloy alu 6063/OL high stiffness, tempered in neutral solution at TT4, normalized to eliminate any excessive crystalline tensions.





SPORTIVE

|                           | CODE    | FRAME                          | FORK               | GEAR     | DERAILLEUR | CONTROLS        | CRANKSET                 | CASSETTE        |
|---------------------------|---------|--------------------------------|--------------------|----------|------------|-----------------|--------------------------|-----------------|
| TURCHINO                  |         |                                |                    |          |            |                 |                          |                 |
| MTB 27,5”<br>3x8V ACERA   | BS60100 | MTB 27,5” Alloy<br>custom Olmo | RST BLAZE RL       | RD ACERA | FD C-190   | SL M-310<br>3x8 | Shimano M171             | Shimano HG 31-8 |
| GIOVI                     |         |                                |                    |          |            |                 |                          |                 |
| MTB 27,5”<br>3x7V         | BS60200 | MTB 27,5” Alloy<br>custom Olmo | CH-389<br>lockable | RD TX35  | FD TX-50   | ST EF-51<br>3x7 | Steel<br>42-34-24 x170   | Shimano TZ 21   |
| SENTIERO                  |         |                                |                    |          |            |                 |                          |                 |
| MTB 26”<br>3x7V           | BS61100 | MTB 26”<br>Tig Aero            | LE-151             | RD TY21  | FD TZ-30   | ST REVO 3x7     | Steel<br>42-34-24 x170   | Shimano TZ 21   |
| MTB 24”<br>3x6V           | BS61100 | MTB 24”<br>Tig Aero            | Suspension         | RD TY21  | FD TZ-30   | ST REVO 3x6     | Steel<br>42-34-24 x150   | Shimano TZ 20   |
| MTB 20”<br>6V             | BS61500 | MTB 20”<br>Tig Aero            | Suspension         | RD TY21  | -          | ST REVO 6       | Steel<br>40 x 150        | Shimano TZ 20   |
| AVVENTURA                 |         |                                |                    |          |            |                 |                          |                 |
| MTB 26”<br>3x7V           | BS61200 | MTB 26”<br>Tig Aero            | LE-151             | RD TY21  | FD TZ-30   | ST REVO 3x7     | Steel<br>42-34-24 x170   | Shimano TZ 21   |
| MTB 24”<br>3x6V           | BS61400 | MTB 24”<br>Tig Aero            | Suspension         | RD TY21  | FD TZ-30   | ST REVO 3x6     | Steel<br>42-34-24 x150   | Shimano TZ 20   |
| MTB 20”<br>6V             | BS61600 | MTB 20”<br>Tig Aero            | Suspension         | RD TY21  | -          | ST REVO 6       | Steel<br>40 x 150        | Shimano TZ 20   |
| NAVA MAN                  |         |                                |                    |          |            |                 |                          |                 |
| TREKKING 28”<br>3x8 ACERA | BS61200 | Trekking 28”<br>Alloy          | RST NEON ML        | RD ACERA | FD C-191   | ST EF-51 3x8    | Shimano M171<br>48-38-28 | Shimano HG 31-8 |
| TREKKING 28”<br>3x7V      | BS62300 | Trekking 28”<br>Alloy          | Hi-Ten             | RD TX35  | FD TX-51   | ST EF-29 3x7    | Shimano M171<br>48-38-28 | Shimano TZ 21   |

COMPONENTS

| BRAKES                   | HANDLEBAR & STEM               | WHEELS                          | TYRES              | SADDLE               | SEATPOST | PEDALS         | OPTIONAL |
|--------------------------|--------------------------------|---------------------------------|--------------------|----------------------|----------|----------------|----------|
|                          |                                |                                 |                    |                      |          |                |          |
| Tektro hydraulic<br>disc | Magix Alloy                    | Olmo FORZA 27,5”                | 27,5” x 2.10 Kenda | Monte Grappa Bora    | Alloy    | Xerama SP-910S | -        |
|                          |                                |                                 |                    |                      |          |                |          |
| V-Brake Alloy Saccon     | Hi-Ten Alloy Head              | Dual chamber Alloy<br>CNC 27,5” | 27,5” x 2.10       | DDK Orion            | Alloy    | Xerama SP-877  | -        |
|                          |                                |                                 |                    |                      |          |                |          |
| V-Brake Alloy Saccon     | Hi-Ten<br>Hi-Ten Tig           | Alloy Silver 26”                | MTB 26x1,90        | DDK Orion            | Steel    | Xerama SP-877  | -        |
| V-Brake Alloy Saccon     | Hi-Ten<br>Hi-Ten Tig           | Alloy Silver 24”                | MTB 24x1,90        | Bassano Ugò          | Steel    | Xerama SP-300  | -        |
| V-Brake Alloy Saccon     | Hi-Ten<br>Hi-Ten Tig           | Alloy Silver 20”                | MTB 20x1,90        | Bassano Ugò          | Steel    | Xerama SP-300  | -        |
|                          |                                |                                 |                    |                      |          |                |          |
| V-Brake Alloy Saccon     | Hi-Ten<br>Hi-Ten Tig           | Alloy Silver 26”                | MTB 26x1,90        | DDK Orion            | Steel    | Xerama SP-877  | -        |
| V-Brake Alloy Saccon     | Hi-Ten<br>Hi-Ten Tig           | Alloy Silver 24”                | MTB 24x1,90        | Bassano Ugò          | Steel    | Xerama SP-300  | -        |
| V-Brake Alloy Saccon     | Hi-Ten<br>Hi-Ten Tig           | Alloy Silver 20”                | MTB 20x1,90        | Bassano Ugò          | Steel    | Xerama SP-300  | -        |
|                          |                                |                                 |                    |                      |          |                |          |
| Artek<br>mechanical disc | Alloy Over<br>Adjustable Alloy | Dual chamber Alloy<br>28”       | 700x38             | Selle Italia FLX     | Alloy    | Xerama SP-910S | -        |
| V-Brake Alloy Saccon     | Alloy Over<br>Adjustable Alloy | Dual chamber Alloy<br>28”       | 700x38             | S-Trace SA 3201 flow | Steel    | Xerama SP-910S | -        |



SPORTIVE

|                        | CODE    | FRAME                   | FORK        | GEAR     | DERAILLEUR | CONTROLS       | CRANKSET              | CASSETTE        |
|------------------------|---------|-------------------------|-------------|----------|------------|----------------|-----------------------|-----------------|
| NAVALADY               |         |                         |             |          |            |                |                       |                 |
| TREKKING 28" 3x8 ACERA | BS62200 | Trekking 28" Alloy      | RST NEON ML | RD ACERA | FD C-191   | ST EF-51 3x8   | Shimano M171 48-38-28 | Shimano HG 31-8 |
| TREKKING 28" 3x7V      | BS62300 | Trekking 28" Alloy      | Hi-Ten      | RD TX-35 | FD TX-51   | ST EF-29 3x7   | Shimano M171 48-38-28 | Shimano TZ 21   |
| GRAFFITO               |         |                         |             |          |            |                |                       |                 |
| BMX 20"                | BS63100 | BMX 20" Hi-Ten          | Hi-Ten      | -        | -          | -              | Fauber 44Tx170        | 18 T            |
| RIFUGIO                |         |                         |             |          |            |                |                       |                 |
| FAT-BIKE 26" 2x9V      | BS64100 | Alloy 6061 Hydroforming | Alloy 6061  | RD ACERA | FD M 616-D | ST Altus M-370 | Alloy 28-40           | Shimano HG 20-9 |

COMPONENTS

| BRAKES                | HANDLEBAR & STEM            | WHEELS                        | TYRES         | SADDLE               | SEATPOST | PEDALS         | OPTIONAL |
|-----------------------|-----------------------------|-------------------------------|---------------|----------------------|----------|----------------|----------|
|                       |                             |                               |               |                      |          |                |          |
| Artek mechanical disc | Alloy Over Adjustable Alloy | Dual chamber Alloy 28"        | 700x38        | Selle Italia FLX     | Alloy    | Xerama SP-910S | -        |
| V-Brake Alloy Saccon  | Alloy Over Adjustable Alloy | Dual chamber Alloy 28"        | 700x38        | S-Trace SA 320I flow | Steel    | Xerama SP-910S | -        |
|                       |                             |                               |               |                      |          |                |          |
| V-Brake Alloy Saccon  | HB-2072 Alloy               | Black rectified Alloy 20" 48F | 20x1,95 Black | Bassano Jump         | Steel    | Xerama SP-767  | -        |
|                       |                             |                               |               |                      |          |                |          |
| Tektro hydraulic disc | Magix Alloy                 | Alloy 26"x4.00 perforated     | 26x4.00       | Monte Grappa FAAT    | Alloy    | Xerama SP-910S | -        |





|                | CODE    | FRAME              | FORK   | GEAR    | DERAILLEUR | CONTROLS     | CRANKSET             | CASSETTE      |
|----------------|---------|--------------------|--------|---------|------------|--------------|----------------------|---------------|
| BORGOMAN       |         |                    |        |         |            |              |                      |               |
| CITY 28" 3x7V  | BQ60100 | Trekking 28" Alloy | Steel  | RD TX35 | FD TX-51   | ST EF-51 3x7 | Alloy 42-34-24 x 170 | Shimano TZ 21 |
| CITY 28" 7V    | BQ60300 | Trekking 28" Alloy | Hi-Ten | RD TX35 | -          | ST REVO 7    | Steel 42 x 170       | Shimano TZ 21 |
| BORGOLADY      |         |                    |        |         |            |              |                      |               |
| CITY 28" 3x7V  | BQ60300 | Trekking 28" Alloy | Steel  | RD TX35 | FD TX-51   | ST EF-51 3x7 | Alloy 42-34-24 x 170 | Shimano TZ 21 |
| CITY 28" 7V    | BQ60400 | Trekking 28" Alloy | Hi-Ten | RD TX35 | -          | ST REVO 7    | Steel 42 x 170       | Shimano TZ 21 |
| BIVIOMAN       |         |                    |        |         |            |              |                      |               |
| CITY 28" 7V    | BQ61100 | Trekking 28" Steel | Steel  | RD TY21 | -          | ST REVO 7    | Steel 42 x 170       | Shimano TZ 21 |
| BIVIOLADY      |         |                    |        |         |            |              |                      |               |
| CITY 28" 7V    | BQ61200 | Trekking 28" Steel | Steel  | RD TY21 | -          | ST REVO 7    | Steel 42 x 170       | Shimano TZ 21 |
| CENTRO         |         |                    |        |         |            |              |                      |               |
| FOLDING 20" 6V | BQ62100 | Fold 20" Alloy     | Steel  | RD TY21 | -          | ST REVO 6    | Alloy 46 x 170       | Shimano TZ 20 |

|                             | CODE    | FRAME                   | FORK        | GEAR           | CONTROLS  | CRANKSET          | CASSETTE      | BRAKES                |
|-----------------------------|---------|-------------------------|-------------|----------------|-----------|-------------------|---------------|-----------------------|
| ELETTRAMAN                  |         |                         |             |                |           |                   |               |                       |
| E-BIKE SHIMANO STEPS 28" 7V | BQ63100 | Alloy 6061 Hydroforming | RST NEON ML | RD Altus M-280 | ST REVO 7 | Shimano STEPS 38T | Shimano TZ 21 | Tektro hydraulic disc |
| ELETTRALADY                 |         |                         |             |                |           |                   |               |                       |
| E-BIKE SHIMANO STEPS 28" 7V | BQ63200 | Alloy 6061 Hydroforming | RST NEON ML | RD Altus M-280 | ST REVO 7 | Shimano STEPS 38T | Shimano TZ 21 | Tektro hydraulic disc |

| BRAKES               | HANDLEBAR & STEM            | WHEELS                 | TYRES        | SADDLE                 | SEATPOST | PEDALS         | OPTIONAL |
|----------------------|-----------------------------|------------------------|--------------|------------------------|----------|----------------|----------|
|                      |                             |                        |              |                        |          |                |          |
| V-Brake Alloy Saccon | Alloy 4 Adjustable Alloy    | Dual chamber CNC Alloy | 700x35 black | Monte Grappa Mil-Legua | Alloy    | Xerama SP-320  | -        |
| V-Brake Alloy Saccon | Alloy Over Adjustable Alloy | Alloy 28"              | 700x38       | Monte Grappa Mil-Legua | Alloy    | Xerama SP-320  | -        |
|                      |                             |                        |              |                        |          |                |          |
| V-Brake Alloy Saccon | Alloy 4 Adjustable Alloy    | Dual chamber CNC Alloy | 700x35 black | Monte Grappa Swan      | Alloy    | Xerama SP-320  | -        |
| V-Brake Alloy Saccon | Alloy Over Adjustable Alloy | Alloy 28"              | 700x38       | Monte Grappa Swan      | Alloy    | Xerama SP-320  | -        |
|                      |                             |                        |              |                        |          |                |          |
| V-Brake Alloy Saccon | Steel 4 Adjustable Alloy    | Alloy 28"              | 700x35 nero  | Monte Grappa Felix     | Steel    | Xerama SP-320  | -        |
|                      |                             |                        |              |                        |          |                |          |
| V-Brake Alloy Saccon | Steel 4 Adjustable Alloy    | Alloy 28"              | 700x35 nero  | Monte Grappa Felix     | Steel    | Xerama SP-320  | -        |
|                      |                             |                        |              |                        |          |                |          |
| V-Brake Alloy Saccon | Alloy Folding               | Alloy 20"              | 20 x 1.75    | Monte Grappa Felix     | Alloy    | Xerama Folding | -        |

| HANDLEBAR & STEM       | WHEELS                      | TYRES             | SADDLE                 | SEATPOST | PEDALS       | ENGINE                 | BATTERY                                        | DISPLAY       |
|------------------------|-----------------------------|-------------------|------------------------|----------|--------------|------------------------|------------------------------------------------|---------------|
|                        |                             |                   |                        |          |              |                        |                                                |               |
| Alloy Adjustable Alloy | Alloy 28" Dual chamber Disc | 700x40 reflective | Monte Grappa Mil-Legua | Alloy    | Xerama Alloy | Shimano STEPS 36V 250W | Centrale Shimano LI-ION 36V 11.6 Ah            | Shimano STEPS |
|                        |                             |                   |                        |          |              |                        |                                                |               |
| Alloy Adjustable Alloy | Alloy 28" Dual chamber Disc | 700x40 reflective | Monte Grappa Swan      | Alloy    | Xerama Alloy | Shimano STEPS 36V 250W | Built into the Shimano rack LI-ION 36V 11.6 Ah | Shimano STEPS |







STILE

|                          | CODE    | FRAME                               | FORK                | GEAR     | DERAILLEUR | CONTROLS   | CRANKSET                       | CASSETTE                 |
|--------------------------|---------|-------------------------------------|---------------------|----------|------------|------------|--------------------------------|--------------------------|
| LUCIDA                   |         |                                     |                     |          |            |            |                                |                          |
| FIXED 28"                | BS65100 | Fixed<br>Chrome plated steel<br>28" | Chrome plated steel | -        | -          | -          | Alloy Pista Prowheel<br>46x170 | Fixed cog<br>+ Freewheel |
| MILANO                   |         |                                     |                     |          |            |            |                                |                          |
| FIXED 28"                | BS65200 | Fixed Steel 28"                     | Steel               | -        | -          | -          | Alloy<br>46x170                | Fixed cog<br>+ Freewheel |
| FRONTEMARE               |         |                                     |                     |          |            |            |                                |                          |
| FAT BIKE 26"<br>8V       | BS66100 | Alloy 6061<br>Hydroforming          | Alloy 6061          | RD ALTUS | -          | SL M-310/8 | Alloy<br>32x170                | Shimano HG 31-8          |
| DARSENA MAN              |         |                                     |                     |          |            |            |                                |                          |
| CITY 26"<br>7V BIG APPLE | BS67100 | Alloy city 26"                      | Steel               | RD TX35  | -          | ST REVO 7  | Alloy<br>42x170                | Shimano TZ-21            |
| DARSENA LADY             |         |                                     |                     |          |            |            |                                |                          |
| CITY 26"<br>7V BIG APPLE | BS67200 | Alloy city 26"                      | Steel               | RD TX35  | -          | ST REVO 7  | Alloy<br>42x170                | Shimano TZ-21            |

COMPONENTS

| BRAKES                   | HANDLEBAR & STEM                         | WHEELS                       | TYRES   | SADDLE                                 | SEATPOST | PEDALS        | OPTIONAL              |
|--------------------------|------------------------------------------|------------------------------|---------|----------------------------------------|----------|---------------|-----------------------|
|                          |                                          |                              |         |                                        |          |               |                       |
| Miche Performance        | Alloy Vintage<br>Messenger<br>Deda Murex | Fixed spokes H.40            | 700x23  | Monte Grappa Canard                    | Alloy    | Fixed clear   | -                     |
|                          |                                          |                              |         |                                        |          |               |                       |
| R315 Olmo                | Fixed Alloy                              | Fixed spokes H.40            | 700x23  | Vintage                                | Alloy    | Fixed clear   | Fixed Alloy<br>wheels |
|                          |                                          |                              |         |                                        |          |               |                       |
| Tektro<br>hydraulic disc | Magix<br>with racks                      | Alloy 26"x4.00<br>perforated | 26x4.00 | Monte Grappa Large<br>Double springs   | Alloy    | Fixed clear   | -                     |
|                          |                                          |                              |         |                                        |          |               |                       |
| Full Alloy<br>Saccon     | Alloy                                    | Alloy 26"<br>Dual chamber    | 26x2,35 | Monte Grappa<br>City Line with springs | Alloy    | Xerama SP-320 | -                     |
|                          |                                          |                              |         |                                        |          |               |                       |
| Full Alloy<br>Saccon     | Alloy                                    | Alloy 26"<br>Dual chamber    | 26x2,35 | Monte Grappa<br>City Line with springs | Alloy    | Xerama SP-320 | -                     |



[www.olmo.it](http://www.olmo.it)